

Running SafiServer 1.3 BETA on Windows

You will need version 1.3+ of SafiWorkshop in order to connect to SafiServer 1.3+

Run in Console Mode

1: [Download SafiServer for Windows](#) (Make sure to download version 1.3+)

2: Unzip the file into a directory of your choice

3: Modify the *etc\safi.environment.cfg* file

- Set user.password to what you want your *sa* password to be (you will use this password to login to SafiServer from the SafiWorkshop)
- Set custom.init.host to the name (or address) of the Web Service Custom Initiator
- Set custom.init.port to the port of the Web Service Custom Initiator

4: Launch SafiServer by running (change the path to match your install):

```
C:\SafiServer-1.3.0.Beta\bin\safiserver.bat
```

You should see the following (*NOTE: the startup process will wait here for up to a minute before proceeding*)

A screenshot of a terminal window showing the SafiServer startup process. The text is as follows:

```
SAFISERVER
Safi Systems SafiServer (1.3.0)
Hit '<tab>' for a list of available commands
and '[cmd] --help' for help on a specific command.
Hit '<ctrl-d>' or 'osgi:shutdown' to shutdown SafiServer.
karaf@root>
```

The first time the server is started it will create the database used. You should see the following after everything has started:

```
ompt_project" insert="true" update="true" not-null="false">
    <column not-null="false" unique="fa
    </many-to-one>
    <property name="system" lazy="false" insert
ique="false" type="boolean">
    <column not-null="false" unique="fa
    </property>
    <property name="extension" lazy="false" inse
unique="false" type="java.lang.String">
    <column not-null="false" unique="fa
    </property>
    </union-subclass>
</hibernate-mapping>
Listening on *:4573.
```

Shutdown in console mode

You can shutdown SafiServer by entering the following into the karaf console:

```
osgi:shutdown
```